

## CO<sub>2</sub> ANALYZER 2825/2830/2835 Handheld Indoor Air Quality Analyzer



## Affordable, Simple, Reliable Measurement

Bacharach's line of  $CO_2$  Analyzers has been expanded to now measure  $CO_2$ ,  $O_2$ , temperature, relative humidity, and barometric pressure.

Available in three models:

- $2825 CO_2$  (high range),  $O_2$  and Pressure
- 2830 CO<sub>2</sub> (high range), O<sub>2.</sub> Pressure and Temperature
- 2835 CO<sub>2</sub> (low range), Pressure, Temperature and R.H.

Each reading is displayed separately, but by pressing the f3 button the user can easily scroll through all the readings. Peak readings can also be displayed by pressing and holding down the f3 button.

All models feature data-logging, run-and-charge capability, a user-zero function for all gases, and an internal pump for remote sampling. There is enough memory to store up to 200 sets of data. Power is provided by a long-life NiMH battery, which is capable of providing up to 8 hours of continuous operation from one charge.

The CO<sub>2</sub> Analyzers are small enough to fit in the palm of your hand, remarkably easy to use, and are ideal for trend analysis and record keeping.

## Features & Benefits

- Data Logging for storing up to 200 sets of data, ideal for trend analysis
- Stored data can easily be downloaded through optional host software using an IrDA communications link
- Peak reading mode
- Charge-and-Run capability for long-term monitoring
- Convenient zero function for all gas sensors
- Infra-red CO<sub>2</sub> sensor
- Electrochemical O<sub>2</sub> sensor

## **Applications**

- Incubators
- Mushroom Farms
- Fruit/Vegetable Storage
- Greenhouses
- Food Packing
- Brewing
- Carbonated Drink Dispensing
- Blended Beer Gases

| SPECIFICATIONS         |   |
|------------------------|---|
| Weight                 | 12 oz   |
| Dimensions             | 5.5H x 2.5W x 1.4D inches   |
| Battery Supply         | Supplied with 110–220 volt wall charger                                 |
| Battery Life           | Up to 8 hours of operation on one charge                                |
| Sensor Life            | Long-life sensors (CO <sub>2</sub> - 5 years, O <sub>2</sub> - 2 years) |
|                        | MEASURING RANGES  |
| CO <sub>2</sub> (low)  | 0 to 10,000 ppm / 10 ppm Resolution                                     |
| CO <sub>2</sub> (high) | 0 to 60% / .01% Resolution  |
| Barometric Press.      | 21 to 36" Hg  |
| Operating Temp.        | 0 to 104°F / 0.1°F Resolution   |
| Relative Humidity      | 0 to 99.9% / 1% Resolution  |
| Barometric Press.      | 21 to 36" Hg  |

| ORDERING INFORMATION          |   |
|-------------------------------|---|
| PART NO.                      | DESCRIPTION   |
| 19-8053<br>19-8054<br>19-8055 | CO <sub>2</sub> Analyzer 2825<br>CO <sub>2</sub> Analyzer 2830<br>CO <sub>2</sub> Analyzer 2835 |
| 19-3302                       | In-Car 12v Charger  |
| 19-3307                       | Table Stand   |
| 19-3310                       | Extended Probe Assembly, 3 foot   |
| 19-3311                       | Hard Carrying Case (Large)  |
| 19-3337                       | Hard Carrying Case (Small)  |
| 19-3254                       | Bach-Com Plus Host Software w/IrDA Link   |

Comfort Chek and Bacharach are registered trademarks of Bacharach, Inc. ©January, 2002, Bacharach, Inc., all rights reserved. All information herein is subject to verification Product Bulletin-4153 01/02 1M

Printed in U.S.A.



Headquarters: Westmoreland Business & Research Park, 621 Hunt Valley Drive, New Kensington, PA 15068 Phone: 1-Canada 1-800-328-5217 Website: www.bacharach-inc.com

Phone: 1-800-736-4666